

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/797,211	03/10/2004	Philip J. Schaaf	GRILL.001A	4169
20995 KNOBBE MA	7590 11/02/200 RTENS OLSON & BE	EXAMINER		
2040 MAIN ST	REET	GUIDOTTI, LAURA COLE		
FOURTEENTH FLOOR IRVINE, CA 92614		ART UNIT	PAPER NUMBER	
			3723	
			NOTIFICATION DATE	DELIVERY MODE
			11/02/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

jcartee@kmob.com eOAPilot@kmob.com

		Application No.	Applicant(s)			
Office Action Summary		10/797,211	SCHAAF, PHILIP J.			
		Examiner	Art Unit			
		Laura C. Guidotti	3723			
Period f	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the	correspondence address			
A SH WHI - Exte afte - If N - Fail Any	HORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DA ensions of time may be available under the provisions of 37 CFR 1.13 r SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period we ure to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATIO 36(a). In no event, however, may a reply be ting ATE OF THIS COMMUNICATION ATE OF THIS COMMUNICATION TO SHOW THIS COMMUNICATION THIS COMMUNI	N. mely filed n the mailing date of this communication. ED (35 U.S.C. § 133).			
Status						
	Responsive to communication(s) filed on 26 Ju	uly 2007.				
	•—	action is non-final.				
3)[, in the months of the months of					
	closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.			
Disposit	tion of Claims					
4)⊠	4)⊠ Claim(s) <u>21-47</u> is/are pending in the application.					
	4a) Of the above claim(s) <u>36</u> is/are withdrawn from consideration.					
5)[) Claim(s) is/are allowed.					
	Claim(s) <u>21-35 and 37-47</u> is/are rejected.					
	Claim(s) is/are objected to.					
8)[_	8) Claim(s) are subject to restriction and/or election requirement.					
Applicat	ion Papers	•				
9)☐ The specification is objected to by the Examiner.						
	10)⊠ The drawing(s) filed on <u>10 March 2004</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.					
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority	under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
	1. Certified copies of the priority documents have been received.					
	2. Certified copies of the priority documents have been received in Application No					
	3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.						
		or the continue gapies not receive				
Attachmer	nt(s)					
_	ce of References Cited (PTO-892)	4) Interview Summary	(PTO-413)			
2) 🔲 Notic	2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date					
Information Disclosure Statement(s) (PTO/SB/08) Notice of Informal Patent Application Paper No(s)/Mail Date Other:						

DETAILED ACTION

Claim Objections

1. Claim 24 is objected to because of the following informalities:

In Claim 24, is "," meant to be "."? Applicant is reminded that the claim must be one sentence in length.

Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

2. Claim 28 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 28 recites the limitation "the first cleaning device" in Lines 1-2. There is insufficient antecedent basis for this limitation in the claim. Did the Applicant intend to claim "the first cleaning *face*"? There is only one cleaning device claimed.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 21, 24, 26-29, 31, 33-34, 38, 40, 42-44, and 46 are rejected under 35 U.S.C. 102(b) as being anticipated by Beck, US 3,188,675.

Page 3

Art Unit: 3723

Beck teaches the claimed invention including at least a first cleaning face (face of sponge 12 that has the handle 16), wherein the first cleaning face comprises a first plurality of ridges (blocks 22 form ridges) that run the length of the first cleaning face (as shown in Figure 1), at least a second cleaning face (face adjacent the first face, facing out of the page in Figure 1), wherein the second cleaning face comprises a second plurality of parallel ridges that run the length of the second cleaning face (also blocks 22 form ridges, Figure 1), at least a third cleaning face (face shown in Figure 3), wherein the third cleaning face comprises a third plurality of ridges (also blocks 22 form ridges) that run the length of the third cleaning face (Figure 3), and at least a fourth cleaning face (side opposing the second face, not wholly shown), wherein the fourth cleaning face comprises a fourth plurality of parallel ridges (also 22) that run the length of the fourth cleaning face (would be present as shown by grooves 18 also being present on that side), wherein the cleaning device comprises at least two materials (including a foam synthetic sponge, polyurethane, Column 3 Lines 40-41; and including a synthetic material such as water-resistant starch-base adhesive, waterproof material, or a cleaning compound, Column 3 Lines 47-58), wherein first, second, third, and fourth pluralities of parallel ridges form a plurality of continuous ridges that circumscribe each of the four faces (see Figures 1 and 3-5) (claims 21, 33-34). Regarding claims 24 and 26-27, at least one material is non-abrasive and absorbent (polyurethane). Regarding claim 28, the device comprises a first and second non-abrasive material (one material being polyurethane the other being the waterproof material or the cleaning compound). Regarding claim 29, the first non-abrasive material is relatively less abrasive than the

Art Unit: 3723

second non-abrasive material (given that the polyurethane is what the sponge is formed of, and as the outer blocks and edges may be protected by a waterproof material, Column 3 Lines 53-56, the waterproof material would be relatively more abrasive as it is located on the sharper edges of the blocks). Regarding claim 31, at least one material comprises a foam (polyurethane, Column 3 Lines 40-41). Regarding claims 38 and 44, at least two of the first, second, third, and fourth faces each individually has a surface area larger than or equal to the individual surface of every other face of the cleaning device (see Figures 1, 3-5). Regarding claims 40 and 46, the device is in the shape of a rectangular block and comprises ridges and grooves on the two largest faces of the device (Figures 1, 3-5). Regarding claims 42-43, there is a plurality of parallel grooves (18, 19) on the first, second, third, and fourth faces (see Figures 1, 3-5), the parallel grooves form a plurality of continuous grooves that circumscribe each of the four faces (Figures 1, 3-5).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 21, 24, 26-29, 31-35, 37, 38-39, and 42-45 are rejected under 35 U.S.C.
 103(a) as being unpatentable over Zamansky et al., US 6,663,309 in view of
 McDonough, US 2001/0029967.

Art Unit: 3723

Zamansky et al. disclose the claimed invention including a cleaning device (60) having at least a first cleaning face (any one "face" along the cylindrical body), wherein the first cleaning face comprises a first plurality of ridges (65) that run the length of the first cleaning face (as shown in Figures 1-2), at least a second cleaning face (face that is approximately 90 degrees from the first face about a longitudinal axis of 60), wherein the second cleaning face comprises a second plurality of parallel ridges that run the length of the second cleaning face (65), at least a third cleaning face (face that is approximately 180 degrees from the first face about a longitudinal axis of 60), wherein the third cleaning face comprises a third plurality of ridges (65) that run the length of the third cleaning face (as shown in Figures 1-2), and at least a fourth cleaning face (face that is approximately 270 degrees from the first face about a longitudinal axis of 60), wherein the fourth cleaning face comprises a fourth plurality of parallel ridges (65) that run the length of the fourth cleaning face (as shown in Figures 1-2), wherein first, second, third, and fourth pluralities of parallel ridges form a plurality of continuous ridges that circumscribe each of the four faces (as shown in Figures 1-2). Regarding claim 24, the cleaning device comprises at least one absorbent material (Column 3 Lines 8-10. 25-26). Regarding claim 26, the cleaning device comprises at least one material that is non-abrasive (Column 3 Lines 8-10, 25-26). Regarding claim 27, the cleaning device comprises a non-abrasive material and an absorbent material (as it is a foam sponge, Column 3 Lines 8-10, 25-26). Regarding claims 31 and 33-34, the material is a synthetic foam sponge (Column 3 Lines 8-10, 25-26). Regarding claims 38 and 44, wherein at least two of the first, second, third, and fourth faces each individually has a

Application/Control Number: 10/797,211

Art Unit: 3723

surface area that is equal to the individual surface area of every other face of the cleaning device (if every "face" is 90 degrees apart, than the faces would all be equal). Regarding claims 42-43, there is a plurality of parallel grooves (64) on the first, second, third, and fourth faces (see Figures 1-2), the parallel grooves form a plurality of continuous grooves that circumscribe each of the four faces (Figures 1-2). Zamansky et al. does not disclose that the cleaning device comprises at least two materials.

McDonough teaches a cook top surface cleaning device that comprises at least two materials including foam (paragraph 22), rubber (polyurethane, paragraph 27), a synthetic material (paragraphs 27-30), polyester (paragraph 19), synthetic sponge (paragraphs 27-30, 19), and plastic (paragraph 19). In particular there are two layers (A, B) that have different surface characteristics to provide different coarsenesses (paragraph 23), wherein the cleaning device comprises a first non-abrasive material and a second non-abrasive material (paragraph 23), the first non-abrasive material (B) is relatively less abrasive than the second non-abrasive material (A, paragraph 23) so that a user can scrub a glass-ceramic surface without scratching or marring that surface.

It would have been obvious for one of ordinary skill in the art to substitute the materials used to form Zamansky et al. to be at least two materials including foam, rubber, synthetic materials, synthetic sponge, and plastic as McDonough teaches, in order to have two faces of varying abrasiveness each being better suited for different types of cleaning and specifically the materials being advantageous in use when cleaning a ceramic or glass surface without scratching or marring it.

5. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Zamansky et al., US 6,663,309 and McDonough, US 2001/0029967 as applied to claim 21, in view of Beller, US 4,690,125.

Zamansky et al. and McDonough disclose all elements mentioned above, and Zamansky et al. displays that the ridges and separations are about equally separated (see Figures 1-2), however neither Zamansky et al. nor McDonough teach specific dimensions.

Beller teaches that a grill grate (35) diameter (or width) is 3/8" (Column 5 Lines 41-45).

It would have been obvious for one of ordinary skill in the art to modify the ridge width and separation of the dish and cooking surface cleaner of Zamansky et al. and McDonough to be 3/8", as Beller teaches that this is a known grill grate dimension, and therefore would be a useful dimension for the ridges and separations in order to clean between and around cooking grates.

6. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Zamansky et al., US 6,663,309 and McDonough, US 2001/0029967 as applied to claim 21, in view of Stoker, US 3,146,479.

Zamansky et al. and McDonough disclose all elements mentioned above, however do not disclose that the ridges are a specific length.

Stoker teaches a surface cleaning device that has a cleaning surface of four inches (Column 2 Lines 10-14).

Application/Control Number: 10/797,211

Art Unit: 3723

It would have been obvious for one of ordinary skill in the art to modify the ridges of Zamansky et al. and McDonough to be four inches in length, as Stoker teaches in order to provide an optimal and conveniently sized cleaning face.

7. Claims 25 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zamansky et al., US 6,663,309 and McDonough, US 2001/0029967 as applied to claim 21, in view of Aldredge, US 6,916,382.

Zamansky et al. and McDonough disclose all elements mentioned above, however do not specifically disclose a material that is resistant to heat.

Aldredge teach a pad of wiping a grill surface that is treated with a heat retardant so that it is self-extinguishing in case it is contacted with extreme heat or a flame (Column 4 Lines 13-29).

It would have been obvious for one of ordinary skill in the art to add a heat resistant material as Aldredge teaches to the cleaning device of Zamansky et al. and McDonough so that the device won't catch fire or self-extinguish if in contact with a flame or extremely hot surface while cleaning.

8. Claims 32, 35, 37, 39, 41, 45, and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beck, US 3,188,675 in view of McDonough, US 2001/0029967.

Beck discloses that there are two materials having differing stiffness (Column 3 Lines 47-53), however does not disclose specific materials other than that one material is polyurethane synthetic foam.

McDonough teaches a cleaning device that comprises at least two materials including foam (paragraph 22), rubber (polyurethane, paragraph 27), a synthetic

material (paragraphs 27-30), polyester (paragraph 19), synthetic sponge (paragraphs 27-30, 19), and plastic (paragraph 19). In particular there are two layers (A, B) that have different surface characteristics to provide different coarsenesses (paragraph 23), wherein the cleaning device comprises a first non-abrasive material and a second non-abrasive material (paragraph 23), the first non-abrasive material (B) is relatively less abrasive than the second non-abrasive material (A, paragraph 23) so that a user can scrub a glass-ceramic surface without scratching or marring that surface.

It would have been obvious for one of ordinary skill in the art to substitute the stiffening material of Beck to be polyester as McDonough teaches, in order to have two faces of varying abrasiveness each being better suited for different types of cleaning and specifically the materials being advantageous in use when cleaning a ceramic or glass surface without scratching or marring it.

Response to Arguments

9. Applicant's arguments with respect to claims 21-35 and 37-47 have been considered but are moot in view of the new ground(s) of rejection.

It is noted that claims 21 and 43 each recite "wherein the cleaning device comprises at least two materials" however does not specify at least two *different* materials. The cleaning device may be a rubber foam (two of the materials) and would read on claims 21 and 43.

Conclusion

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Laura C. Guidotti whose telephone number is (571) 272-

Art Unit: 3723

1272. The examiner can normally be reached on Monday-Thursday, 7:30am - 5pm, alternating Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Hail can be reached on (571) 272-4485. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Laure C Quidotti
Laura C Guidotti
Patent Examiner
Art Unit 3723

lcg